

TuberPatk

600×100mm

FIBER MANAGEMENT SYSTEM

Main Features

Allows you flexibility in creating your custom fiber optic cable managment system.

Easy to install with your fiber routing system with no tools needed.


Applications

Create a fiber managment system along the wall or ceiling of your data center or network closet or across the tops of the rack enclosures

FrberPatk

600MM Main duct


Spec(mm)	Overal(mm)
w =600 H =100	600 x 120 x 2000
Material	Color




- Use to carry the cables horizontally throughout the system
- Accepts cover and fittings
- PN: FP600MD2

600MM JOINER

Spec(mm)	Overal(mm)
w =600 H =100	642*80*121
Material	Color
	Yellow





- Quickly joins two sections of channel and/or fittings.
- Tighten and release bolts by fingers, absolutely toolless.
- PN: FP600J



600MM HORIZONTAL 90° ELBOW

Name	Spec	c(mm)	Overal(mm)
600mm Horizontal 90° elbow	w =600	H =100	702*702*116.5
Material		Color	•
PVC/ABS		Yellov	V







- Attaches to 600mmx100mm channel and/or fittings to create a 90° horizontal elbow from a straight horizontal run.
- PN: FP600HE90

600MM HORIZONTAL TEE

Name	Spec	(mm)	Overal(mm)
600mm Horizontal TEE	w =600	H =100	768*768*116.5
Material		Color	
PVC/ABS		Yellov	V



- Attaches to 600mmx100mm channel and/or fittings to creat a 90° horizontal branch from a straight horizontal run.
- PN:FP600HT




FlberPatk


600MM HORIZONTAL 90° CROSS

Name	Spec	:(mm)	Overal(mm)
600mm Horizontal cross	w =600	H =100	768*768*116.5
Material		Color	
PVC/ABS		Yellov	J.

 Attaches to 600mm×100mm channel and/or fittings to create a horizontal four way cross intersection with two 600mm×100mm exits.

• PN:FP600CRS






600MM CUTTING IN TEE

Spec(mm)	Overal(mm)
w =600 H =100	712*138*116
Material	Color

• Attaches to 600mm×100mm channel to create a 90 horizontal elbow from anywhere of a straight horizontal run.

• PN: FP600CT




600MM 45° UP ELBOW

Spec(mm)	Overal(mm)
w =600 H =100	636*182*182
Material	Color

• Attaches to 600mmx100mm channel and/or fitting to create a 45 upward angle from a straight horizontal run. Used with 45° down elbow to change level of a horizontal run.

• PN: FP600UE45




600MM 45° DOWN ELBOW

Spec(mm)	Overal(mm)
w =600 H =100	641*22.5*121
Material	Color

103

• Attaches to 600mmx100mm channel and/or fitting to create a 45° downward angle from a straight horizontal run. Used with 45° up elbow to change level of a horizontal run.

• PN: FP600DE45



FuberPatk

600 TO 360 ADAPTER

	Spec(mm)		Overal(mm)
w1 =600	w2=360	H =100	642*81*121
	Material		Color
	PVC/ABS		Yellow

• Attaches any 600mmx100mm fitting or channel to any 360mmx100mm fitting or channel.


• PN:FP600AD


600MM END CAP

Spec(mm)	Overal(mm)
w =600 H =100	641*22.5*121
Material	Color
PVC/ABS	Yellow




• PN:FP600EC





F.berPatk

Quick Exit with cover



Flex tube





- Movable exit maintains a proper bend radius for fiber optic cables that are routed over the side of your fiber management system.
- PN:FPFT42

• Assembles onto all main duct sizes.

• PN:FPQE